## M dwarfs from a Gaia Perspective



Collaborators: Eileen Gonzales Rocio Kiman Jonathan Gagne Ellianna Schwab Abrahams John Bochanski



#### Rocio Kiman



AMNH/CUNY
Graduate Student
2nd year
Poster at CS20
Speaker at Splinter (Monday)

### Jonathan Gagne



U Montreal Postdoc Co-convener Splinter

#### Eileen Gonzales



AMNH/CUNY
Graduate Student
2nd year
Poster at CS20

#### Ellianna Schwab Abrahams



AMNH/Berkeley Hellen Fellow Incoming Graduate student


#### John Bochanski




Assistant Professor
Rider University
Poster at CS20/Co-convener Splinter

#### See Cool Stars Splinter: Tomorrow 2pm

# 100pc Gaia Dr2 Sample




## Be Aware of Crowded Regions in Gaia




**Objects: 1,722** 

#### Clean 100pc Sample with SDSS M dwarfs highlighted



#### Calibrating M dwarf properties in Gaia with SDSS sample




# Co-Moving M dwarfs in Gaia

Pairs shown from Oh et al. 2017 catalog



23 new associations, two within 100pc Faherty et al. 2018

# Co-Moving M dwarfs in Gaia




## Associations of Young Stars Near the Sun



Banyan Sigma Models are blue ellipses


Gagne+Faherty+ et al. 2018

#### New M dwarfs in Known Moving Groups




**Gagne & Faherty 2018** 

#### **NEW Moving Groups Dominated by M dwarfs**



## Low-mass Star Stellar Flybys





# Tweetable Conclusions M dwarf science is blowing up with Gaia

- Be aware of crowding issues in Gaia DR2
- Analysis of color magnitude diagrams is leading to fundamental physics of M dwarfs
- Co-moving catalogs have led to a goldmine of kinematically connected M dwarfs from pairs, to moving group members (as well as entirely new groups!)